



		<small>This drawing and the rights and privileges in this drawing are the property of Cavotec. This drawing or any part thereof must not be copied, reproduced or communicated to any person, or otherwise used beyond the purposes for which it is provided, without written permission of Cavotec © www.cavotec.com</small>	
PART NUMBER:	A00-14-CDE083	REVISION:	—
DRAWING NUMBER:	A00-14-CDE083	APPROVED:	TM
MATERIAL:	Cav DE GSK 02-04/98-10/205/KL	TITLE:	
FINISH SEE:	INFO Cav DE GSK 02-04/98-10/205/KL	SCALE:	9.13
DIMENSIONS IN mm UNLESS OTHERWISE STATED	TOLERANCING: ISO 2768-mK	SCALE:	1:2
		SHEET SIZE:	A2
		SHEET:	1 OF 3

REV.	DESCRIPTION	DRAWN BY	DATE	REF.

BILL OF MATERIAL

ITEM NO.	Part Number	Description Line 1	Description Line 2	Note	QTY.	Material Line 1	Mass (kg)
1	AA4-A07761-0A	Bef-Flansch GSK 205 Ø45	M50x1,5	-	1	AlMg45Mn	1.56
2	A2Z-098510008	Sechskantmutter mit Kl.	ISO 10511 M10-8	-	2	St verz.	0.01
3	A2Z-091410035	Gewindestift m.Spitze	DIN 914-M10x35-gZn	-	2	St verz.	0.02
4	A2A-01251000A	Unterlegscheibe	ISO 7089 A10,5	-	2	Alu	0.00
5	AA1-B20260111	Achse GSK 205 Ø45	L=111	-	1	St35 BK	0.29
6	AA4-C07771-0A	Lagerteil GSK 205 Ø45	-	-	1	AlCuMgPb	0.37
7	A2Z-098505008	Sechskantmutter m. Klemmteil	ISO 10511 M 5-8	-	4	St verz.	0.00
8	AA5-F21731-0Z	Bürstenhalterpl. SK 02/03	90°-anordnung	-	2	S235JR - gal.verz.	0.10
9	A2Z-01250500A	Unterlegscheibe	ISO 7089 A 5,3	-	4	St verz.	0.00
10	A2Z-093305025	Sechskantschraube	ISO 4017 M 5x 25-8.8	-	4	St verz.	0.00
11	AA5-A06157-0K	Unterteil GSK 205/40 M32	mit Bohrung Ø32	-	1	PA6-30GF	0.46
12	AA2-C02705-0A	Socket SK02/03 Ø45	-	-	1	AlCuMgPb	0.18
13	AA2-D00200-0M	Schleifring Sk 02 Ms	-	-	4	CuZn37 (Ms63)	0.08
14	AA2-E00200-0K	Isolierring SK02/03	IP 464	-	4	PA6-30GF	0.03
15	A40-Z08000-00	Gewindestange	M8x235	-	4	St verz.	0.1
16	AA2-E09800-0K	Isolierring SK 98 schw.	-	-	5	PA6-30GF	0.02
17	AA2-D09800-0M	Schleifring SK 98 Ms	ohne Litze	-	10	CuZn30	0.05
18	AA2-K07180-0K	Führungspl SK 98 auß	-	-	1	Umabord	0.07
19	A2Z-093305010	Sechskantschraube	ISO 4017 M 5x 10-8.8	-	4	St verz.	0.00
20	A2Z-67980500A	Fächerscheibe	DIN 6798-A 5,3-gZn	-	4	St verz	0.00
21	A85-A-WC-1414	Mantelklemme Unterteil	Weco Ø11,5x16,5	-	4	Ms - vernickelt	0.01
22	A85-B-WC-1414	Mantelklemme Oberteil	Weco Ø11,5x16,5	-	4	Ms - vernickelt	0.01
23	A85-B-WC-0811	Mantelklemme Oberteil	SK 45,46,58,98 Weco Ø8x11	-	10	Ms - vernickelt	0.00
24	AA5-B06202-0K	Haube GSK 205-215	SK 02/03/98	-	1	PA6-30GF	0.84
25	AA2-K06061-0K	Führungspl SK 98 inn	-	-	1	PA6-30GF	0.02
26	AA2-F9800-000	Stromabn98	.	-	5	-	0.04
27	A50-K01010000	Rohr Hartgewebe Krülit	Außen-Ø10x1.0 74mm lang	-	4	Hartgewebe	0.00
28	AA2-F0200-085	Stromabn02 50A Ø 85	.	-	3	Cu	0.09
29	AA2-F020P-085	Stromabn02 50A PE Ø85	.	-	1	Cu	0.09
30	A64-A20640-00	O-Ring	Ø206 x 4,0	-	1	NBR	0.02
31	A2Z-098506008	Sechskantmutter mit Kl.	ISO 10511 M 6-8	-	8	St verz.	0.00
32	A2Z-091410016	Gewindestift m.Spitze	DIN 914-M10x16-gZn	-	2	St verz.	0.01
33	A60-06009-2RS	Kugellager	Ø 45xØ 75x16 2RS	-	2	St	0.24
34	A64-E-2258-00	Moosgummidichtung	GSK 205; 40/50	-	1	EPDM-65	0.01

DRAWING NUMBER:

A00-14-CDE083

TITLE:

Cav DE
GSK 02-04/98-10/205/KL

CAVOTEC

Cavotec Germany GmbH

This drawing and the rights and privileges in this drawing are the property of Cavotec. This drawing or any part thereof must not be copied, reproduced or communicated to any person, or otherwise used beyond the purposes for which it is provided, without written permission of Cavotec® www.cavotec.com

PART NUMBER:

A00-14-CDE083

APPROVED:

TM

REVISION:

-

SHEET SIZE:

A4

SHEET:

2 OF 3

BILL OF MATERIAL

ITEM NO.	Part Number	Description Line 1	Description Line 2	Note	QTY.	Material Line 1	Mass (kg)
35	A2Z-093308055	Sechskantschraube	ISO 4017 M 8x 55-8.8	-	4	St verz.	0.02
36	A64-D0-060-00	V-Ring	Ø60	-	1	NBR	0.02
37	A50-K01620000	Rohr Hartgewebe Krülit	Außen-Ø16x2.0 -100mm lang	-	1	Hartgewebe	0.02
38	A40-Z12000-00	Gewindestange	M12x220	-	1	St verz.	0.2
39	A2Z-043912008	Sechskantmutter niedrig	ISO 4035 M12-8	-	2	St verz.	0.01
40	A2Z-098512008	Sechskantmutter mit Kl.	ISO 10511 M12-8	-	4	St verz.	0.01
41	A50-K01620000	Rohr Hartgewebe Krülit	Außen-Ø16x2.0 L=080mm	-	1	Hartgewebe	0.01
42	A43-X12000B00	Gewindebolzen Ø12x220	M12x30 - M12x100	-	1	A2	0.1
43	A50-K01620000	Rohr Hartgewebe Krülit	Außen-Ø16x2.0 - 17mm lang	-	1	Hartgewebe	0.00
44	A2Z-093412008	Sechskantmutter	ISO 4032 M12-8	-	2	St verz.	0.02
45	A2Z-01251200A	Unterlegscheibe	ISO 7089 A13	-	2	St verz.	0.01
46	A2Z-01250600A	Unterlegscheibe	ISO 7089 A 6,4	-	8	St verz.	0.00
47	A2X-093306022	Sechskantschraube	ISO 4017 M 6x 22-70	-	8	A2	0.01
48	AA5-E07781-0Z	Bodenblech GSK 205	Ø45; Mitnehmerbohrung	-	1	S235JR - gal.verz.	0.60
49	AA5-F07271-0X	Erdungsblech GSK 205	Ø45	-	1	1.4301	0.17
50	A2Z-093408008	Sechskantmutter	ISO 4032 M 8-8	-	12	St verz.	0.01
51	A90-M32-06-00	Gegenmutter mit Litze	Ø6 gn/ge 2,5mm ²	-	1	-	0
52	A80-MMBK32-00	Kabel Ver.Ms Perfect M32	Ø 15-20mm/kurz	-	1	Ms - vernickelt	0.17
53	A43-X08000800	Gewindebolzen Ø8x245	M8x45 - M8x25	-	4	A2	0.1
54	AA2-M06081-0K	Distanzbuchse SK 98	500V	-	24	PA66-50GF	0.00
55	A2Z-01250800A	Unterlegscheibe	ISO 7089 A 8,4	-	36	St verz.	0.00
56	A85-A-WC-0811	Mantelklemme Unterteil	SK 45,46,58,98 Weco Ø8x11	-	10	Ms - vernickelt	0.00
57	AA2-J09820000	Klembrett Sk 98	20 Klemmen	-	1	Umabord	0.03
58	A2Z-67980300A	Zahnscheibe	DIN 6798-A 3,2-gZn	-	20	St verz.	0.00
59	A2Z-093303008	Sechskantschraube	DIN 933 M 3x 8-4.6	-	10	St verz.	0.01
60	A2Z-098508008	Sechskantmutter mit Kl.	ISO 10511 M 8-8	-	16	St verz.	0.01
61	A2Z-043908008	Sechskantmutter niedrig	ISO 4035 M 8-8	-	4	St verz.	0.00
62	A2Z-633408008	3D-Mutter	DIN 6334-M 8-8-gZn	-	4	St verz.	0.02
63	A2K-012508000	Unterlegscheibe	ISO 7089 A 8,4	-	4	PA 6	0.00

DRAWING NUMBER:

A00-14-CDE083

TITLE:

Cav DE
GSK 02-04/98-10/205/KL
CAVOTEC
Cavotec Germany GmbH

This drawing and the rights and privileges in this drawing are the property of Cavotec. This drawing or any part thereof must not be copied, reproduced or communicated to any person, or otherwise used beyond the purposes for which it is provided, without written permission of Cavotec® www.cavotec.com

PART NUMBER:

A00-14-CDE083

APPROVED:

TM

REVISION:

-

SHEET SIZE:

A4

SHEET:

3 OF 3