

Revolving ball knobs

Shaft Steel

SPECIFICATION

Types

- Type **A**: with male thread
- Type **B**: with female thread

Plastic
Duroplast (Phenolic PF)

- temperature resistant up to 110 °C
- black, shiny finish


Shaft Steel
zinc plated, blue passivated

INFORMATION

Revolving ball knobs GN 319.2 can be utilized instead of revolving handles i.e. with handwheels.

TECHNICAL INFORMATION

- Plastic characteristics (see page A2)



GN 319.2

Description	d1	d2	d3	l1	l2 ±1	l3 ±1	A/F	t min.	△
GN 319.2-25-M6-A	25	M 6	10	11	37.5	15	-	29	
GN 319.2-32-M8-A	32	M 8	13	13	48	19	-	63	
GN 319.2-40-M10-A	40	M 10	16	14	61	24	-	119	
GN 319.2-50-M12-A	50	M 12	20	21	78	31	-	237	
GN 319.2-25-M6-B	25	M 6	10	-	37.5	15	8	10	24
GN 319.2-32-M8-B	32	M 8	13	-	48	19	10	12	51
GN 319.2-40-M10-B	40	M 10	16	-	61	24	14	16	99
GN 319.2-50-M12-B	50	M 12	20	-	78	31	17	16	198

Revolving ball knobs

Shaft Stainless Steel

SPECIFICATION

Types

- Type **A**: with male thread
- Type **B**: with female thread

Plastic
Duroplast (Phenolic PF)

- temperature resistant up to 110 °C
- black, shiny finish


Shaft
Stainless Steel AISI 303
matt shot-blasted

INFORMATION

Revolving ball knobs GN 319.5 can be utilized instead of revolving handles i.e. with handwheels.

TECHNICAL INFORMATION

- Stainless Steel characteristics (see page A26)
- Plastic characteristics (see page A2)



GN 319.5

STAINLESS STEEL

Description	d1	d2	d3	l1	l2 ±1	l3 ±1	A/F	t min.	△
GN 319.5-25-M6-A	25	M 6	10	11	37.5	15	8	-	29
GN 319.5-32-M8-A	32	M 8	13	13	48	19	10	-	63
GN 319.5-40-M10-A	40	M 10	16	14	61	24	14	-	120
GN 319.5-50-M12-A	50	M 12	20	21	78	31	17	-	190
GN 319.5-25-M6-B	25	M 6	10	-	37.5	15	8	10	24
GN 319.5-32-M8-B	32	M 8	13	-	48	19	10	12	52
GN 319.5-40-M10-B	40	M 10	16	-	61	24	14	16	100
GN 319.5-50-M12-B	50	M 12	20	-	78	31	17	16	200

